

# **ACTODERMANOL®**

Hand and Skin Antiseptic with Ethanol 70 % (V/V)

- ✓ Contains ethyl alcohol
- ✓ Suitable for frequent usage
- ✓ Dermatologically tested and approved in the German **DERMATEST** laboratory
- √ Tested according to EN 1500 and EN 12791 standards
- √ 30 seconds for hygienic hand antisepsis
- √ 3 minutes for surgical hand antisepsis



**Actodermanol®** is an alcohol-based hand and skin antiseptic. It has been formulated for frequent use for hygienic and surgical hand antisepsis. It does not cause any allergic reaction. Dermatologically tested. It does not contain aldehyde, phenol, hydrogen peroxide, chlorhexidine and the like.













# **ACTODERMANOL®**

## Hand and Skin Antiseptic with Ethanol 70 % (V/V)



# **Areas of Application:**

Suitable for frequent use within the day during patient care, before contact with neutropenic and immunosuppressive patients, before and after contact with patients in the isolation room, for skin antisepsis before injection, before and after invasive procedures, before and after wearing gloves, especially in units where the workload and the number of patients are intense. Suitable for use in public health field.

**Method of Use:** 

#### Hygienic hand antisepsis:

Remove all jewelry before use. Make sure that the nails are not long. Take 3-5 mL of **Actodermanol®**. Apply for 30 seconds according to **EN 1500** standard.

### Surgical hand antisepsis:

Remove all jewelry before use. Make sure that the nails are not long. Take the sufficient amount of

product in a way to keep skin wet during application. According to **EN 12791** standard, disinfect your hands, including wrists and elbows, with **Actodermanol®** by wet rubbing both hands for a total of 3 minutes. If necessary, take disinfectant again during the procedure.

Spray on skin before injections. Wipe after waiting for 30 secs.

#### **Chemical Composition:**

100 g contains:

65.9 g of Ethanol (70 % V/V), emollient (Lanolin), auxiliary substances.

#### **Instructions For Use (EN 1500):**



1<sup>st</sup> step: Rub hands palm to palm.



2<sup>nd</sup> step: Rub right palm over the back of left hand with interlaced fingers and vice versa.



**3rd step:** Rub again palm to palm with interlaced fingers.



4th step: Rub the back of fingers to opposing palms with fingers interlocked, repeating this action for each hand.



5<sup>th</sup> step: Rub rotationally right thumb clasped in left palm and vice versa.



6<sup>th</sup> step: Rub rotationally backwards and forwards with clasped fingers of left hand in right palm and vice versa.

Packaging					
Unit	Pieces in a Box	Article-No.			
50 ml	110	06.1046.50			
100 ml	81	06.1046.100			
250 ml	49	06.1046.250			
500 ml	30	06.1046.500			
1 L	10	06.1046.1			
5 L	4	06.1046.5			

Microbiological Activity	Test Method	Application Area	Application Dose	Application Range
Bactericidal (Incl. MRSA, VRE, A. baumanni)	EN 13727	By spraying onto hands and skin, and wiping	3-5 ml 30 sec.	As frequent as desired
Fungicidal (C. albicans, A. niger)	EN 13624			
Tuberculocidal Mycobactericidal	EN 14348			
Virucidal (Vaccinia)	EN 14476			



ACTO GmbH
Head Office & Factory
Schulstrasse 8 • 31613 Wietzen-Holte / Germany
Tel: +49 (0) 5022 9801-0 • Fax: +49 (0) 5022 9801-37

Braunschweig Office

Büchnerstrasse 11 • 38118 Braunschweig / Germany



